

CUMULATIVE INDEX 1998

Volume 16

March	RESPIRATION IN ANESTHESIA: PATHOPHYSIOLOGY AND CLINICAL UPDATE, pages 1-321
June	THE HIGH-RISK OBSTETRIC PATIENT, pages 323-504
September	THE CANCER PATIENT, pages 505-706
December	THE DIFFICULT PEDIATRIC AIRWAY, pages 707-946

Note: Page numbers of article titles are in **boldface** type

- Abruptio placentae, in coagulopathic parturient, 366-367
- Abscesses, as predictor of difficult positive-pressure mask ventilation, 37
- Achondroplasia, cervical spine instability with, 916
- Acid-base balance, overview of, 212-217
- clinical quantitation, 215-217
- definitions, 213-215
- Acid-base quantitation, current status of, in physiology and medicine, **211-233**
- Acid-base status, buffer strength, buffer compartments, and Gibbs-Donnan equilibrium, 219-220
- methods of measuring, anion gap and strong ion gap, 223-226
- base excess and standard base excess, 220-223
- PCO_2 , HCO_3^- approach, 223
- Stewart strong ion difference, 226-227
- three independent determinants of, 217-219
- of tissue, 228-230
- of venous blood, 227-228
- Acidosis, definition of, 213
- fetal, maternal diabetes as risk factor for, 451-453
- respiratory, definition of, 214
- Acute airway compromise, and transtracheal jet ventilation, in cancer patient, 515
- Acute normovolemic hemodilution (ANH), in obstetric patient, 379-381
- Acute respiratory distress syndrome. See ARDS.
- Adhesion molecules, in asthma, 91
- Adjustable pressure-limiting valve, in anesthesia breathing circuit, 24
- Adrenal insufficiency, after bilateral adrenalectomy, 656
- Adrenergic blockade, for patients with pheochromocytoma, 650-652
- Adriamycin, cardiotoxicity from, 597-599
- Adult respiratory distress syndrome. See ARDS.
- AIDS, conditions for diagnosis of, in HIV positive patient, 403, 405
- Airway closure, as morphologic correlate of shunt and low \dot{V}_A/\dot{Q} , during anesthesia, 122-124
- Airway compression, extrinsic, in trauma patients, airway management with, 63-64
- Airway compromise, acute, and transtracheal jet ventilation, in cancer patient, 515
- Airway disruption, in trauma patient, airway management with, 59-62
- Airway hyperreactivity, and asthma, 91-92
- Airway injury, burn-related, difficult endotracheal intubation from, 43-44
- Airway management, for failed intubation in obstetrics, after failed first attempt, 480-484
- Combitube, 490, 492-495
- intubating laryngeal mask airway, 490, 491
- laryngeal mask airway, 484-489
- of surgical patients with head and neck malignancies, **547-562**

- Airway management (*Continued*)
 extubation of trachea, 559-560
 intraoperative, 557-558
 laser surgery in upper airway, 558-559
 preoperative airway assessment, 547-551
 securing airway and anesthesia induction, 551-554
 unanticipated difficult or failed intubation, 554-557
- Airway obstruction, epiglottitis and croup in, in children, 853-869
- Airway position, in treatment of difficult spontaneous ventilation, 46
- Airway resistance, increased, in neonatal respiratory failure, 141-142
- Airways, oral and nasal, in treatment of difficult spontaneous ventilation, 46-47
- Alarm, oxygen supply failure, on anesthesia machine, 9
- Alcohol abuse, in obstetric patient, 390
- Alkalosis, definition of, 213
- Alkylating agents, pulmonary toxicity from, 565-567
- Alpha-methylparatyrosine, for patients with pheochromocytoma, 652
- Alveolar collapse, management of neonatal respiratory failure with, 139
- Alveolar PCO_2 , steady state CO_2 kinetics and effects on, 271-274
- Amniotic fluid embolus, in coagulopathic parturient, 367
- Amphetamine abuse, in obstetric patient, 389
- Analgesia, epidural, for post-thoracotomy pain, 625
- Anaphylaxis, postoperative difficult positive-pressure ventilation from, 38-39
- Anatomic characteristics, as predictor of difficult positive-pressure mask ventilation, 37
- Anatomy, of mediastinum, 893
 of pediatric airway, 827-828. *See also* *Pediatric airway, anatomy and embryology of.*
- Anesthesia, carbon dioxide kinetics during. *See* *Carbon dioxide kinetics, during anesthesia.*
 gas exchange pathophysiology during. *See* *Gas exchange pathophysiology during anesthesia.*
 for respiratory cripple. *See* *Respiratory cripple, anesthesia for.*
- Anesthesia breathing circuits, 17-25
 adjustable pressure-limiting valve, 24
 circle circuit, 19-25
 carbon dioxide absorber, 23
 inspiratory and expiratory unidirectional valves, 20-22
- Mapleson circuits, 17-19
- positive end-expiratory pressure valves, 24
 scavenging system, 24-25
 stand-alone, disposable circle circuit systems, 23-24
- Anesthesia machine and circuit, anesthesia breathing circuits, 17-25
 anesthesia machine, 2-16
 flowmeters, 12-14
 fresh gas flow connection, 16
 gas supply, 2
 hospital pipeline gas supply, 2, 4, 5
 machine cylinder gas supply, 5-7
 minimum oxygen ratio device, 9-12
 oxygen failsafe valve and supply alarm, 8-9
 oxygen flush valve, 8
 system power switch, 7-8
 vaporizers, 14-16
 background, 1-2
 portal to the respiratory system, 1-28
 ventilator, 25-26
- Aneurysms, in obstetric patient, 469-470
- Anion gap, for measuring acid-base status, 223-226
- Ankylosing spondylitis, difficult endotracheal intubation from, 45-46
- Antepartum blood donation, 378-379
- Anterior commissure laryngoscope, for ventilation with difficult pediatric airway, 750
- Anthracyclines, cardiotoxicity from, 597-599
- Antibiotics, cytotoxic, pulmonary toxicity from, 567-572
- Anticholinergic agents, as preoperative preparation in respiratory cripple, 302
- Anticoagulants, in pregnancy, 361-364
- Anticonvulsant medications, for cancer pain, 694
- Antidepressant medications, heterocyclic, for cancer pain, 694
- Antifibrinolytics, as blood conservation technique, 377
- Antihistamines, for asthma patients, 103
- Antihypertensive therapy, for eclamptic patient, 325
- Antimetabolites, pulmonary toxicity from, 572-574
- Antiretroviral therapy, for human immunodeficiency virus, 404
 in parturient, 408-409
- Apneic anesthesia, for difficult pediatric airway with recurrent respiratory papillomatosis, 878
- Aprotinin, for blood conservation, 377

- ARDS, current treatment and ventilator strategies, 155-180
 definition, classification, and pathophysiology, 156-160
 in postoperative cancer patient, 587-595
 clinical manifestations, 589-590
 diagnosis, 590
 etiology, 588-589
 history and definitions, 588
 incidence, 588
 pathophysiology, 589
 prognosis, 592
 treatment, 590-592
 role of nitric oxide in, 246-247
 ventilator strategies, conventional therapies, permissive hypercapnia and open lung ventilation, 164-168
 prone position, 168-169
 volutrauma, 161-164
 pharmacotherapy, 170-175
 bedside approach to ventilation, 173-175
 corticosteroids, 173
 inhaled nitric oxide, 171-172
 prostaglandins, 172
 surfactants, 172-173
 salvage therapies, extracorporeal membrane oxygenation/intravenous oxygenator, 170
 high-frequency ventilation, 169-170
 inverse-ratio ventilation, 170
 Arrhythmias, in cocaine abusing obstetric patient, 388-389
 controlling, during pheochromocytoma surgery, 655
 supraventricular, in parturient, 425-426
 ventricular, in parturient, 426-428
 Arterial oxygen desaturation, in obstetric patient, with difficult airway, 66-67
 Arteriovenous malformations, difficult airway in pediatric patient with, 848-849
 in obstetric patient, 469-470
 ASA difficult airway algorithm, 48, 50-57
 L-Asparaginase, pulmonary toxicity from, 576
 Aspirin, for HELLP syndrome, 339-340
 thrombopathy from, 357-358
 Asthma, current pathophysiology and treatment, 89-112
 pathophysiology, 90-92
 airway hyperreactivity and asthma, 91-92
 evidence of asthma as inflammatory disease, 90-91
 putative inflammatory cells and mediators, 91
 patients with. *See Respiratory cripple*, perioperative management of patients with, 99-105
 effects of anesthetic drugs and adjuvants on airways, 99-103
 prophylaxis of bronchospasm, 103-104
 risks, 99
 treatment of bronchospasm, 105
 pharmacology of drugs used to treat, 93-98
 clinical management, 97-98
 corticosteroids, 93-95
 cromolyn sodium, 95
 future therapies, 98
 methylxanthines, 96
 muscarinic antagonists, 97
 nedocromil, 95
 sympathomimetic agents, 96-97
 Atelectasis, as morphologic correlate of shunt and low V_A/Q , during anesthesia, 119-122
 Atlanto-occipital joint extension, as predictor of difficult endotracheal intubation, 41
 Atrial fibrillation, in parturient, 426
 Atrial flutter, in parturient, 426
 Atrial natriuretic peptide, metabolism of, in lungs, 191-192
 Atrial premature contractions, in parturient, 425
 Autoimmune thrombocytopenic purpura, in coagulopathic parturient, 355-356
 Autologous transfusion, in obstetric patient, acute normovolemic hemodilution, 379-381
 antepartum donation, 378-379
 intraoperative blood salvage, 379
 Awake airway management and fiberoptic intubation, in cancer patient, 515
 Awake intubation, in obstetric patient, with difficult airway, 68
 Azathioprine, pulmonary toxicity from, 573-574
 Base excess, for measuring acid-base status, 220-223
 BCNU, pulmonary toxicity from, 574-575
 Beckwith-Wiedemann syndrome, difficult airway in pediatric patient with, 846-847
 Bell's palsy, in obstetric patient, 471
 Benzodiazepines, for asthma patients, 102-103
 for managing difficult pediatric airway, 747
 and narcotic combinations, for pediatric sedation in fiberoptic intubation, 771-772
 Beta-blockers, for patients with pheochromocytoma, 652

- Bilevel positive airway pressure, in
treatment of difficult spontaneous
ventilation, 47-48
- Biogenic amines, metabolism of, in lungs,
182-186
- Biologic response modifiers, cardiac
complications from, 601
- pulmonary toxicity from, 577-578
- Bladder cancer, 534-535
- Bleomycin, pulmonary toxicity from,
567-570
- Blood, venous, acid-base balance of,
227-228
- Blood conservation techniques,
antifibrinolytics, 377
- desmopressin, 377
- erythropoietin, 376-377
- hemoglobin solutions and synthetic
erythrocytes, 378
- perfluorocarbon solutions, 377
- Blood donation, antepartum, 378-379
- Blood transfusion, autologous. See
Autologous transfusion.
- Body habitus, as predictor of difficult
positive-pressure mask ventilation,
36-37
- Bone marrow aspiration, anesthesia for, in
pediatric cancer patient, 684-685
- Bone marrow transplantation, pulmonary
toxicity from, 578
- Bradykinin, metabolism of, in lungs,
189-190
- Brain tumors, deciding whether to operate
on, 665-666
- in obstetric patient, 468-469
- patients undergoing surgery for, anesthe-
tic management of, 663-675
- diagnostic evaluation and imaging
techniques, 664-665
- emergence from anesthesia in, 672-673
- evaluation of airway in, 667-669
- evaluation of cardiac status in, 667
- evaluation of organ dysfunction in, re-
sulting from chemotherapy, 666
- induction of anesthesia in, 670-671
- intraoperative fluid management of,
672
- intraoperative management of "tight
brain" in, 672
- intraoperative monitoring of, 669-670
- maintenance of anesthesia in, 671
- neurologic evaluation in, 666
- perioperative anesthetic management
of, 669
- postoperative management in, 673
- premedication for, 669
- preoperative evaluation of, 663-664
- types of, 664
- Branchial arches, defects of, 721-722
- embryology of, 717-718
- Branchial clefts, defects of, 723
- embryology of, 718-719
- Branchial pouches, defects of, 722-723
- embryology of, 718
- Breast cancer, 535
- Breasts, enlarged, in obstetric patient, with
difficult airway, 66
- Breathing, control of, inhalational
anesthetics and, during hypoxia,
77-88
- metabolic and behavioral control of,
77-79
- Bronchoscopy, laser, 612-613
- rigid, for nonsurgical access to pediatric
airway, 830-833
- rigid ventilating, for head and neck can-
cer patient, 556-557
- in thoracic oncology patient, 611-612
- ventilating, for difficult pediatric airway,
750
- Bronchospasm, perioperative, prophylaxis
of, in asthma patients, 103-104
- treatment of, in asthma patients, 105
- in respiratory cripple, 306-308
- Bronchospastic disease, role of
inflammation in, in respiratory
cripple, 300
- Buffer, definition of, 213-214
- Buffer compartments, in acid-base
quantitation, 219-220
- Buffer strength, in acid-base quantitation,
219-220
- Bullard laryngoscope, advantages, 801
- background, 796
- clinical experience in adults, 799-801
- description, 796-797
- disadvantages, 802
- and lightwand, use of, in pediatric pa-
tients, 795-812
- method of use, 798
- pediatric studies, 801
- ways to intubate using, 798-799
- Burn patients, difficult endotracheal
intubation in, 43-44
- Busulfan, pulmonary toxicity from,
565-566
- Cachexia, in cancer patients, 507
- Cancer, overview of, cachexia, 507
- chronic granulocytic leukemia,
506-507
- factors unique to the cancer patient,
507
- gene therapy, 509
- importance of age in anesthesia, 507
- molecular, genetic, and immunologic
concerns for anesthesia, 505-510

- molecular basis of malignancy, 506
therapy, 507-509
- Cancer patients, anesthesia for, acute
airway compromise and
transtracheal jet ventilation, 515
awake airway management and
fiberoptic intubation, 515
complexity of, 512
difficult airway, 513-514
overview of, 511-532
for pain management, 525-526
preoperative goal for, 512-513
selected problems with, altered mental
status/central nervous system
problems, 516-518
cardiac tamponade, 518-519
gastrointestinal complications,
521-522
metabolic derangements, 522-525
myocardial tissue injury, 519-520
pulmonary complications, 520-521
tracheal extubation and stylet, 515-516
head and neck, difficult endotracheal in-
tubation in, 43
issue on, 505-706
postoperative, ARDS in. *See ARDS, in
postoperative cancer patient.*
preoperative evaluation of, 533-546
with bladder cancer, 534-535
with breast cancer, 535
chemotherapy, 542, 543
with colon and rectum cancers, 536
cost-effective preoperative laboratory
and diagnostic testing, 545
emotional status, 542, 544
with esophageal cancer, 536
with gastric cancer, 536
with head and neck cancer, 537
with hepatic carcinoma, 537
with intracranial tumors, 537-538
with leukemia, 538
with lung cancer, 538-539
with lymphoma, 539
oncologic pain and nausea, 544
with ovarian, uterine, and gynecologic
cancer, 539-540
with pancreatic cancer, 540-541
pathophysiologic disturbances associ-
ated with cancer, 533-534
with prostate cancer, 541
radiation therapy, 542
with renal cancer, 541
with thyroid cancer, 541-542
thoracic surgery in. *See Thoracic surgery,
in oncology patient.*
Cancer therapy. *See also specific agents.*
cardiac complications of, 597-604
pulmonary complications of, 563-586
alkylating agents, 565-567
antimetabolites, 572-574
biologic response modifiers, 577-578
cytotoxic antibiotics, 567-572
cytotoxin-related, 563-565
nitrosoureas, 574-575
thoracic radiation, 578-580
vinca alkyloids, 577
- Capnogram, CO₂ expirogram *versus*,
274-276
mechanical and pathophysiologic effects,
alveolar plateau, 269-271
expiratory upstroke, 267, 269
inspiratory baseline, 267
inspiratory downstroke, 266-267
as monitor of airway patency and pul-
monary ventilation, 265-266
normal, carbon dioxide kinetics and,
260-265
- Capnometers, main-stream *versus* side-
stream, 262-265
- Carbon dioxide absorber, in anesthesia
breathing circuit, 23
- Carbon dioxide kinetics, during
anesthesia, 259-293
capnogram, mechanical and pathophysi-
ologic effects, 266-271
as monitor of airway patency and pul-
monary ventilation, 265-266
normal, 260-265
future directions, 287-288
non-steady state, 279-287
new methodology for, 274-278
steady state, effects on alveolar Pco₂,
271-274
- Cardiac arrest, in parturient, 428-429
- Cardiac complications, of cancer treatment,
597-604
biologic response modifiers, 601
chemotherapy, 597-601
radiotherapy, 602-603
- Cardiac conduction disorders, in
parturient, 424-428
- Cardiac disease, parturient with, 419-440
cardiac conduction disorders, 424-428
cardiopulmonary bypass, 436-437
complex congenital heart disease,
433-434
gestational cardiovascular
pathophysiology, 423-424
ischemic heart disease, 434-435
peripartum cardiomyopathy, 435-436
valvular disease, 428-433
- Cardiac output, decrease in, measured by
decreased pulmonary CO₂ elimination,
279-280
- Cardiac reserve, evaluating, in thoracic
oncology patient, 608
- Cardiac surgery, role of nitric oxide in, 249
- Cardiac tamponade, in cancer patient,
518-519

- Cardiac transplantation, role of nitric oxide in, 249
- Cardiomyopathy, peripartum, 435-436
- Cardiopulmonary bypass, during pregnancy, 436-437
- in thoracic oncology, 624
- Cardiovascular adaptations to pregnancy, 421-424
- Cardiovascular status, stabilization of, in HELLP syndrome, 337
- Cardiovascular system, effect of nitric oxide on, 239-240
- Carmustine, pulmonary toxicity from, 574-575
- Carpal tunnel syndrome, in obstetric patient, 472
- Catecholamine assays, in diagnosis of pheochromocytoma, 647-648
- Catecholamines, metabolism of, in lungs, 185-186
- Catheters, venous, in pediatric cancer patient, 682-683
- Ceftriaxone, for epiglottitis, 859
- Cell death pathways, hypoxic induction of, 207-208
- Central nervous system, effect of nitric oxide on, 240-241
- problems with, in cancer patient, 516-518
- Cephalosporins, for epiglottitis, 859
- Cerebral hemorrhage, in obstetric patient, 469-470
- Cervical cancer, 540, 633-634, 636, 638, 641
- Cervical spine disease, and Down syndrome, in pediatric anesthesia, 911-923
- fiberoptic intubation with, 783, 785-786
- general anesthetic considerations with, 912-913
- instability, acquired, juvenile rheumatoid arthritis, 918
- trauma, 916-918
- congenital, achondroplasia, 916
- Larsen syndrome, 916
- mucopolysaccharidoses, 915-916
- limited mobility, acquired, juvenile rheumatoid arthritis, 914
- congenital, Goldenhar syndrome, 913-914
- Klippel-Feil syndrome, 913
- Cervical spine injury, airway management with, 58-59
- Cesarean delivery, anesthesia for, in eclamptic patient, 326-328
- in HELLP syndrome, 339-343
- in diabetic pregnant patient, 454-455
- timing of, in HELLP syndrome, 338
- Chamberlain procedure, in thoracic oncology patient, 610-611
- Chemotherapy. *See also Cancer therapy, pulmonary complications of.*
- in cancer treatment, 507-508
- cardiac complications from, 597-601
- organ dysfunction from, in patients with brain tumors, 666
- for pediatric malignancies, 679-680
- toxicities from, 542, 543
- Chest tubes, management of, in thoracic oncology patient, 624-625
- Chlorambucil, pulmonary toxicity from, 567
- Choanal atresia, 720
- Chronic obstructive pulmonary disease (COPD), patients with. *See Respiratory cripple.*
- Cigarette use, in obstetric patient, 390-391
- Circle circuit, on anesthesia machine, 19-25
- disposable, on anesthesia machine, 23-24
- Circuits, anesthesia breathing. *See Anesthesia breathing circuits.*
- Circulation, systemic, effect of nitric oxide on, 240
- Cleft lip and palate, 719-720
- difficult airway in pediatric patient with, 841-843
- Closed head injury, airway management with, 58
- Coagulation, congenital disorders of, 349-354
- factor XI deficiency, 353
- fibrinogen, 353
- hemophilia A (classic hemophilia), 351-353
- hemophilia B (Christmas disease), 353
- lupus anticoagulant, 353-354
- von Willebrand's disease, 349-351
- inadequate, regional anesthesia in presence of, 365-366
- Coagulopathic parturient, anticoagulants for, 361-364
- congenital disorders of coagulation in, 349-354
- factor XI deficiency, 353
- fibrinogen, 353
- hemophilia A (classic hemophilia), 351-353
- hemophilia B (Christmas disease), 353
- lupus anticoagulant, 353-354
- von Willebrand's disease, 349-351
- epidural hematoma in, 364-365
- obstetric hemorrhagic emergencies in, abruptio placentae, 366-367
- amniotic fluid embolus, 367
- disseminated intravascular coagulation, 367-368
- intrauterine fetal death, 367

- placenta previa, 368
- postpartum hemorrhage, 369
- uterine rupture, 368-369
- platelet disorders in, autoimmune or idiopathic thrombocytopenic purpura, 355-356
 - drug-induced thrombocytopenia, 357
 - drug-induced thrombopathy, 357-358
 - hereditary platelet disorders, 354-355
 - incidental thrombocytopenia, 354
 - postpartum hemolytic uremic syndrome, 356
 - preeclampsia, 358-361
 - primary (essential) thrombocythemia, 357
 - spurious (laboratory-induced) thrombocytopenia, 354
 - systemic lupus erythematosus, 356-357
 - thrombotic thrombocytopenic purpura, 356
- regional anesthesia in the presence of inadequate coagulation in, 365-366
- Cocaine use, laboratory testing for, 387
 - in obstetric patient, anesthetic management for, 388-389
 - effects of, 386-387
 - with human immunodeficiency virus, obstetric emergencies in, 407-408
- CO₂ expirogram, *versus* capnogram, 274-276
- Colon and rectum cancers, 536
- Combined spinal epidural analgesia, for HIV-infected parturient, 411
- Combitube, in emergency difficult/failed intubation in obstetrics, 490, 492-495
 - for ventilation in cannot-intubate/cannot-ventilate patient, 54, 55
 - for ventilation with difficult pediatric airway, 750
- Complex congenital heart disease, in pregnancy, 433-434
- Congenital diaphragmatic hernia, role of nitric oxide in, 250
- Conscious *versus* deep sedation, spontaneous ventilation with, 30-32
- Continuous positive airway pressure, in treatment of difficult spontaneous ventilation, 47
- Convulsions, prevention of, in HELLP syndrome, 337
- COPD, patients with. *See Respiratory cripple.*
- Cortical vein thrombosis, in obstetric patient, 470
- Corticosteroids, for ARDS patients, 173
 - for asthma treatment, 93-95, 98
 - for croup, 863
 - for HELLP syndrome, 344
 - as preoperative preparation in respiratory cripple, 301
- CO₂ volume exhaled per breath, 277-278
- Cranial deformities, 709-710, 712-713
- Cranial vault and base, embryology of, 707-709
- Craniocarpotarsal dysplasia, difficult airway in pediatric patient with, 847
- Craniofacial anomaly, difficult airway in pediatric patient with, 839-852
 - arteriovenous malformations, 848-849
 - Beckwith-Wiedemann syndrome, 846-847
 - cleft lip and palate, 841-843
 - craniofacial dysostosis, 843-845
 - fibrodysplasia ossificans progressiva, 847
 - Freeman Sheldon syndrome/whistling face syndrome or craniocarpotarsal dysplasia, 847
 - hemangioma, 848
 - hemifacial microsomia, 845-846
 - Klippel-Feil syndrome, 846
 - mandibulofacial dysostosis/Treacher Collins syndrome, 844-845
 - mucopolysaccharidosis, 847-848
 - trisomy 21/Down syndrome, 847
 - venous lymphatic malformations, 849-850
- Craniofacial dysostosis, difficult airway in pediatric patient with, 843-844
- Craniosynostosis, definition of, 710
 - genetic disorders of, 712-713
- Craniovertebral anomalies, 710-711
- Craniovertebral development, 710
- Cricothyrotomy, for anticipated difficult pediatric airway, 750-751
 - percutaneous needle, for unexpected difficult pediatric airway, 759
 - for surgical access to pediatric airway, 834-835
- Cromolyn sodium, for asthma treatment, 95, 97, 98
- Croup, airway implications, 862-863
 - airway management, 863-864
 - disease state, 859-862
 - epiglottitis and, in airway obstruction in children, 853-868
 - postintubation, 864-865
 - viral *versus* spasmodic, 859
- Cyclophosphamide, cardiotoxicity from, 599
 - pulmonary toxicity from, 566-567
- Cysts, laryngeal, 725-726
- Cytokine therapy, in cancer treatment, 508-509
- Cytosine arabinoside, cardiotoxicity from, 600
 - pulmonary toxicity from, 572

- Cytotoxic antibiotics, pulmonary toxicity from, 567-572
- Cytotoxin-related lung injury, 563-565
- Dazoxiben, for HELLP syndrome, 344
- Dentition, full, in obstetric patient, with difficult airway, 66
- Desmopressin (DDAVP), as blood conservation technique, 377
- Dezrazoxane, for preventing cardiotoxicity from doxorubicin, 599
- Diabetes, difficult endotracheal intubation with, 45
- Diabetic ketoacidosis, in diabetic pregnant patient, 443-444
- Diabetic pregnant patient, anesthesia for, 441-458
- anesthetic considerations in, airway, 447-448
- cardiovascular system, 449-451
- fetal acidosis, 451-453
- impairment of oxygen transport, 448-449
- anesthetic management, for cesarean section, 454-455
- for labor and vaginal delivery, 453-454
- neonatal resuscitation, 455
- postpartum, 455
- classification of, 441-442
- diabetic ketoacidosis in, 443-444
- diagnosis of, 446-447
- fetal complications in, 445
- fetal surveillance in, 447
- maternal complications in, 444-445
- pathophysiology of, 442-443
- Diameter index safety system (DISS), for hospital pipeline gas supply, 2, 4
- Diaphragmatic hernia, congenital, role of nitric oxide in, 250
- Difficult airway, in cancer patient, 513-514
- definition of, 795
- difficult mask ventilation, 29-39
- difficult tracheal intubation, 39-46
- history of, in head and neck cancer patient, 548
- pathophysiology, evaluation, and treatment of, 29-75
- physical examination of, in head and neck cancer patient, 549-550
- special conditions, obstetric patient, 64-68
- trauma patient, 57-64
- treatment principles, 46-57
- ASA algorithm and treatment of difficult intubation, 48, 50-57
- for difficult spontaneous ventilation, 46-48
- Difficult intubation, definition of, 795
- Difficult mask ventilation, pathophysiology and evaluation of, difficult positive-pressure mask ventilation, 36-39
- difficult spontaneous ventilation, 29-36
- Difficult pediatric airway, anatomy and embryology of pediatric airway, 707-727
- anticipated, management strategies, 743-757
- evaluation, 744-745
- follow through, 757-758
- implementation, 756-757
- planning, 745-754
- preparation, 754-756
- assessment of, 729-732
- adult data, 732-735
- pediatric data, 736
- cervical spine disease and Down syndrome in pediatric anesthesia, 911-923
- classification and assessment of, 729-741
- classification of, 729
- epiglottitis and croup in airway obstruction in children, 853-868
- flexible fiberoptic laryngoscopy in pediatric patient, 763-792
- foreign body aspiration, 885-892
- issue on, 707-946
- laryngeal mask airway in pediatric anesthesia, 813-825
- limitation of tests, 735-736
- management strategies for, 743-761
- mediastinal masses and anesthesia in children, 893-910
- in patient with craniofacial anomaly, 839-852
- special challenging problems in, 869-883
- congenital subglottic hemangioma, 880-881
- lymphangioma, 869-873
- recurrent respiratory papillomatosis, 873-879
- supplemental studies, 737
- surgical airway, rigid bronchoscopy, and transtracheal jet ventilation, 827-838
- unexpected, management strategies, 758-759
- use of Bullard laryngoscope and lightwand, 795-812
- Difficult spontaneous ventilation, 29-36
- in awake patient, 30
- with conscious *versus* deep sedation, 30-32
- treatment of, 46-48
- in unconscious or anesthetized patient, 33-36

- Difficult tracheal intubation, anatomic predictors of, 40-41, 42
 pathologic causes of, 41, 43-46
 pathophysiology and evaluation of, 39-46
- Diffusion impairment, in pathophysiology of oxygenation impairment, 115
- Disseminated intravascular coagulation (DIC), in coagulopathic parturient, 367-368
 in HELLP syndrome, 332
- Docetaxel, cardiotoxicity from, 600-601
 pulmonary toxicity from, 575-576
- Down syndrome, 918-921
 anesthetic airway management, 920-921
 associated medical problems, atlantoaxial instability, 919
 congenital heart disease, 919
 gastrointestinal disorder, 919
 immunity and hematology, 920
 respiratory system, 919
 cervical spine disease and, in pediatric anesthesia, 911-923
 clinical diagnosis, 919
- Doxorubicin, cardiotoxicity from, 597-599
- Drug abusing parturient, alcohol abuse, 390
 amphetamine abuse, 389
 anesthesia and, 385-395
 cigarettes, 390-391
 cocaine use, 386-389
 narcotic abuse, 389-390
- Echocardiography, for detecting gestational cardiovascular pathophysiology, 424
- Eclamptic patient, 323-330
 anesthetic management, 325-328
 clinical presentation, 324
 epidemiology, 323
 obstetric management, 324-325
 in postoperative period, 328
 recurrence of eclampsia in, 328
- Edema, from fluid administration, postoperative difficult positive-pressure ventilation from, 38
 high-altitude pulmonary, role of nitric oxide in, 250
 negative-pressure pulmonary, during emergence from general anesthesia, 36
 pharyngeal, in obstetric patient, airway management with, 65
- Eicosanoids, metabolism of, in lungs, 186-188
- Elective surgical access to the airway, 828, 829-830
- Electrocardiography, for detecting gestational cardiovascular pathophysiology, 423-424
- Embolism, pulmonary, effect on CO₂ kinetics, 281, 284-287
- Embolus, amniotic fluid, in coagulopathic parturient, 367
- Embryology, of pediatric airway. See *Pediatric airway, anatomy and embryology of.*
- Emergent surgical access to the airway, 828, 830
- Endogenous compounds, metabolism of, in lungs, 182-188, 188-192
- Endometrial cancer, 540, 632-633, 636, 637-638, 640
- Endoscopes, flexible fiberoptic. See *Flexible fiberoptic laryngoscopy, in pediatric patient.*
- Endothelins, metabolism of, in lungs, 190-191
- Endotracheal intubation, difficult. See *Difficult tracheal intubation.*
- Endotracheal tubes, change of, with difficult airway, 56-57
 placement of, in fiberoptic intubation, 778
 position of, confirmation of, in ASA difficult airway algorithm, 55-56
 used with flexible fiberoptic endoscopes, 775
- Enkephalins, metabolism of, in lungs, 191
- Eosinophils, in asthma, 91
- Epidural analgesia, for diabetic pregnant patient, 453-454
 for post-thoracotomy pain, 625
- Epidural anesthesia, in diabetic pregnant patient, 454
 in eclamptic patient, 326
 in HELLP syndrome, 339-341
 in obstetric patient, with brain neoplasm, 468
 with spinal cord injury, 467
 in respiratory cripple, 304
- Epidural hematoma, in pregnancy, 364-365
- Epiglottitis, airway implications, 856-857
 airway management, 857-859
 antimicrobial therapy, 859
 clinical picture, 855-856
 and croup, in airway obstruction in children, 853-868
 disease state, 854-855
 organisms causing, 853-854
 as predictor of difficult positive-pressure mask ventilation, 37
- Epilepsy, in obstetric patient, 462-463
- Epinephrine, racemic, for croup, 863, 864
- Epsilon-aminocaproic acid (EACA), for blood conservation, 377
- Erythropoietin, as blood conservation technique, 376-377
 in cellular response to hypoxia, 202-204

- Esophageal cancer, 536
 Esophageal surgery, in thoracic oncology patient, 620-622
 Exogenous surfactant replacement therapy, for neonatal respiratory failure, 144
 Extracorporeal membrane oxygenation, for ARDS patients, 170
 for neonatal respiratory failure, 144
 Extubation, of difficult airway, 56-57
 in respiratory cripple, 308
 of trachea, for head and neck cancer patient, 559-560
- Face, embryology of, 714-717
 Facial defects, 719-720
 Factor XI deficiency, in coagulopathic parturient, 353
 Failed intubation in obstetrics, 477-498
 airway management strategies, 480
 Combitube, 490, 492-495
 failed first attempt, 480-484
 intubating laryngeal mask airway, 490, 491
 laryngeal mask airway, 484-489
 incidence of, 478-480
 maternal mortality related to, 477-478
 Fetal alcohol syndrome, 390
 Fiberoptic intubation, in anesthetized head and neck cancer patient, 555
 awake airway management and, in cancer patient, 515
 in awake head and neck cancer patient, 552-553
 with Combitube in situ, 494-495
 Fibrillation, atrial, in parturient, 426
 ventricular, in parturient, 428-429
 Fibrinogen abnormalities, in coagulopathic parturient, 353
 Fibrodysplasia ossificans progressiva, difficult airway in pediatric patient with, 847
 5-HT₂ metabolism of, in lungs, 182, 184-185
 Flexible fiberoptic endoscopy, for difficult pediatric airway, 753
 Flexible fiberoptic laryngoscopy, in pediatric patient, 763-793
 cervical spine disease or trauma, 781, 783-784
 complications and contraindications, 787-788
 equipment, 772-776
 ancillary equipment, 776
 endotracheal tubes, 775
 working channels, 773, 775
 getting started, 764
 oral *versus* nasal airway, 765
 patient preparation, 765-771
 drying agents and suction, 766
 local anesthetics, 766-771
 vasoconstriction, 765-766
 patient sedation, 771-772
 problems and pitfalls, 784-787
 skillful use, 776-778
 special intubation techniques, 779-781
 utility of flexible endoscopes, 763-764
 Flowmeters, on anesthesia machine, 12-14
 Fludarabine monophosphate, pulmonary toxicity from, 572
 Fluid administration, difficult positive-pressure ventilation after, 38
 5-Fluorouracil, cardiotoxicity from, 599-600
 Foreign body aspiration, 885-892
 anesthetic management, 888-891
 clinical diagnosis, 887
 epidemiology, 885
 foreign body removal, 887-888
 instruments used to remove foreign bodies, 888
 pathophysiology, 886-887
 prevention, 891
 radiological findings, 887
 types of foreign bodies, 886
 Fractures, maxillary/mandibular, airway management with, 62-63
 Freeman Sheldon syndrome/whistling face syndrome, difficult airway in pediatric patient with, 847
 Fresh gas flow connection, on anesthesia machine, 16
 Frontonasal prominence, embryology of, 715
- Gas exchange pathophysiology during anesthesia, 113-127
 incidence of oxygenation impairment, 113-127
 morphologic correlates of shunt and low V_A/Q , 119-124
 airway closure, 122-124
 atelectasis, 119-122
 hypoxic pulmonary vasoconstriction, 124
 pathophysiology of oxygenation impairment, 114-119
 diffusion impairment, 115
 hypoventilation, 114-115
 shunt, 118-119
 ventilation-perfusion mismatch, 115-118
 Gas supply, to anesthesia machine, 2, 4-7
 Gastric cancer, 536
 Gastrointestinal complications, in cancer patient, 521-522

- General anesthesia, for eclamptic patient, 327-328
 emergence from, laryngospasm during, 35-36
 negative-pressure pulmonary edema during, 36
 in HELLP syndrome, 341-343
 nitric oxide and, 243
 for obstetric patient with brain neoplasm, 469
 in respiratory cripple, 305-306
- Gene regulation, in cellular response to hypoxia, 201-202
- Genes, hypoxia-sensitive, 206
- Gene therapy, in cancer treatment, 509
- Gestational trophoblastic disease, 634-635
- Gibbs-Donnan equilibrium, in acid-base quantitation, 219-220
- Glossopharyngeal nerve block, for fiberoptic intubation in pediatric patients, 767-768
- Goiter, as pathologic cause of difficult endotracheal intubation, 41, 43
- Goldenhar syndrome, 721-722
 limited mobility of cervical spine with, 913-914
- Granulocyte macrophage colony-stimulating factor, pulmonary toxicity from, 577-578
- Gynecologic malignancies, and anesthesia, 629-644
 cervical cancer, 633-634
 gestational trophoblastic disease, 634-635
 intraoperative issues, 637-640
 laparoscopy, 639
 transfusions, 639-640
 ovarian cancer, 631-632
 perioperative care, 630-631
 postoperative care, 640-641
 preoperative evaluation, 635-637
 uterine cancer, 632-633
 vulvar/vaginal carcinoma, 634
- Hallermann-Streiff syndrome, 722
- Halothane, for inhalation induction with difficult pediatric airway, 748
 for pediatric sedation in fiberoptic intubation, 772
- Headache, in obstetric patient, 459-460
- Head and neck malignancies, airway management of surgical patients with, 547-562
 extubation of trachea, 559-560
 intraoperative, 557-558
 laser surgery in upper airway, 558-559
 preoperative airway assessment, 547-551
 securing airway and anesthesia induction, 551-554
 unanticipated difficult or failed intubation, 554-557
- difficult endotracheal intubation in, 43
 preoperative evaluation of, 537
- Head injury, closed, airway management with, 58
- Heart disease, complex congenital, in pregnancy, 433-434
- HELLP syndrome, 331-348
 anesthetic management, 339-343
 classification of, 332
 clinical presentation of, 332-333
 critical care management of, 343
 diagnosis of, 331-332
 experimental treatment of, 343-344
 obstetric management of, 336-338
 pathophysiology of, 333-336
 differential diagnosis of, 335-336
 liver, 334
 microangiopathic hemolytic anemia, 334
 platelet aggregation and platelet thrombi formation, 335
 platelets, 334-335
 with preeclampsia, 361
 time of onset of, 333
- Hemangioma, congenital subglottic, difficult pediatric airway with, 880-881
 difficult airway in pediatric patient with, 848
 as laryngeal defect, 726
- Hematologic disorders, in HIV-infected parturient, 412-413
- Hematoma, epidural, in pregnancy, 364-365
- Hemifacial microsomia, 721
 difficult airway in pediatric patient with, 845-846
- Hemoglobin solutions and synthetic erythrocytes, as blood conservation techniques, 378
- Hemolytic uremic syndrome, postpartum, in coagulopathic parturient, 356
- Hemophilia A (classic hemophilia), in coagulopathic parturient, 351-353
- Hemophilia B (Christmas disease), in coagulopathic parturient, 353
- Hemorrhage, cerebral, in obstetric patient, 469-470
 obstetric, abruptio placentae, 366-367
 amniotic fluid embolus, 367
 blood conservation and, 375-376
 disseminated intravascular coagulation, 367-368
 intrauterine fetal death, 367
 placenta previa, 368

- Hemorrhage (*Continued*)
 postpartum hemorrhage, 369
 uterine rupture, 368-369
- Heparin, in coagulopathic parturient, 361-364
- Hepatic carcinoma, 537
- Hereditary platelet disorders, in coagulopathic parturient, 354-355
- Hernia, congenital diaphragmatic, role of nitric oxide in, 250
- HIF-1, in cellular response to hypoxia, 202-204
 other gene targets of, 204-205
- High-altitude pulmonary edema, role of nitric oxide in, 250
- High-frequency ventilation, for ARDS patients, 169-170
 for neonatal respiratory failure, 144
- HIV. *See Human immunodeficiency virus (HIV).*
- Human immunodeficiency virus (HIV),
 anesthesia in parturient with, 409-412
 antiretroviral drugs for, 404
 epidemiology of, 399-401
 hematologic and neurologic disease in parturient with, 412-413
 infection with, 401-405
 management of, during pregnancy, 405-406
 and obstetric anesthesia, 397-418
 post-exposure prophylaxis for, 413-414
 protecting health care workers and other patients from, 413-415
 vertical transmission of, 406
- Hurler syndrome, cervical spine instability with, 915-916
- Hydralazine, for treating hypertension in cocaine abusing patient, 388
- Hydrocephalus with shunt, in obstetric patient, 471
- Hypercalcemia, in cancer patient, 522-523
- Hypercapnia, permissive, in ARDS patients, 164-168
- Hypertension, in cocaine abusing patient, 388
 controlling, during pheochromocytoma surgery, 654-655
 persistent pulmonary, of newborn, role of nitric oxide in, 249-250
 postoperative, with pheochromocytoma, 656
 pregnancy induced, in diabetic pregnant patient, 444
 primary pulmonary, role of nitric oxide in, 248
 pulmonary, role of nitric oxide in, 247-248
- Hypoglycemia, after pheochromocytoma surgery, 656
 in neonate, maternal diabetes as risk factor for, 445
- Hypoplastic lungs, in neonatal respiratory failure, 140-141
- Hypotension, controlling, during pheochromocytoma surgery, 655-656
- Hypoventilation, in pathophysiology of oxygenation impairment, 114-115
- Hypoxia, cellular response to, 201-210
 erythropoietin connection, 202-204
 general mechanisms of gene regulation, 201-202
 global decreases in protein synthesis, 206-207
 hypoxic induction of specific cell death pathways, 207-208
 modulation of ion channels, 207
 other gene targets of HIF-1, 204-205
 other hypoxia-sensitive genes, 206
 oxygen sensor, 205
 inhalational anesthetics and control of breathing during, 77-88
- Hypoxic pulmonary vasoconstriction, as morphologic correlate of shunt and low V_A/Q , during anesthesia, 124
- Hypoxic ventilatory control, 79-81
 acute hypoxic ventilatory response, 79-80
 hypoxic ventilatory decline, 80-81
 sleep and the hypoxic ventilatory response, 81
- Hypoxic ventilatory decline, 80-81
- Hypoxic ventilatory response, acute, 79-80
 inhalational anesthetics and, 81-85
 sleep and, 81
- Idiopathic hypertrophic subaortic stenosis, anesthetic management of, in labor, 430
- Idiopathic thrombocytopenic purpura, 355-356
- Immune response, postoperative difficult positive-pressure ventilation from, 38-39
- Immune system, effect of nitric oxide on, 241
- Infection, in diabetic pregnant patient, 445
- Inflammatory cells and mediators, in asthma, 91
- Inflammatory mediators, in asthma, 91
- Inhalational anesthetics, and control of breathing, during hypoxia, 77-88
 and hypoxic ventilatory response, anesthesia, 81-82
 sedation, 82-85
- Inhaled beta-2 agonists, as preoperative preparation in respiratory cripple, 301-302

- Injury modulation, effect of nitric oxide on, 241-242
- Inspiratory and expiratory unidirectional valves, in anesthesia breathing circuit, 20-22
- Interferon, cardiotoxicity from, 601
- Intercusor gap, as predictor of difficult endotracheal intubation, 41
- Interleukin-2, cardiotoxicity from, 601
- Pulmonary toxicity from, 577
- Intracranial tumors, 537-538
- Intraoperative blood salvage (IBS), for obstetric patient, 379
- Intrauterine fetal death, in coagulopathic parturient, 367
- Intravenous agents, for asthma patients, 101-102
- Intravenous oxygenator, for ARDS patients, 170
- Intubating laryngeal mask airway, for failed intubation in obstetrics, 490, 491
- Intubation, awake, in obstetric patient, with difficult airway, 68
- difficult tracheal, anatomic predictors of, 40-41, 42
- pathologic causes of, 41, 43-46
- pathophysiology and evaluation of, 39-46
- failed, in obstetrics. *See Failed intubation in obstetrics.*
- fiberoptic, in anesthetized head and neck cancer patient, 555
- awake airway management and, in cancer patient, 515
- in awake head and neck cancer patient, 552-553
- fiberoptic tracheal, with Combitube in situ, 494-495
- retrograde tracheal, in awake head and neck cancer patient, 554
- tracheal, in head and neck cancer patient, 551-552
- unanticipated difficult or failed, in head and neck cancer patient, 554-557
- Inverse-ratio ventilation, for ARDS patients, 170
- Ion channels, modulation of, in cellular response to hypoxia, 207
- Ischemic heart disease, in pregnancy, 434-435
- Jehovah's Witnesses, beliefs of, about blood transfusion, 381-382
- blood conservation, obstetrics, and, 375-384
- fetal *versus* maternal rights in, 382-383
- medical, ethical, and legal issues concerning, 382
- Jet ventilation techniques, for difficult pediatric airway with recurrent respiratory papillomatosis, 877-878
- Juvenile rheumatoid arthritis, cervical spine instability with, 918
- limited mobility of cervical spine with, 914
- Ketamine, for managing difficult pediatric airway, 747-748, 749
- for pediatric sedation in fiberoptic intubation, 771
- Ketoacidosis, diabetic, in diabetic pregnant patient, 443-444
- Klippel-Feil syndrome, difficult airway in pediatric patient with, 846
- limited mobility of cervical spine with, 913
- Labetalol, for treating hypertension in cocaine abusing patient, 388
- Laparoscopy, for gynecologic malignancy, 639
- Larsen syndrome, cervical spine instability with, 916
- Laryngeal cysts, 725-726
- Laryngeal mask airway (LMA), advantages of, 820-821
- for anticipated difficult pediatric airway, 753-754
- for bronchoscopy, 612
- complications of, 821-822
- disadvantages of, 821
- for failed intubation in obstetrics, advantages of, 484, 486
- aspiration and, 486-487
- insertion and cricoid pressure, 487
- technique, 488-489
- use of, as guide for endotracheal intubation, 487-488
- fiberoptic intubation through, 779-780
- for head and neck cancer patient, 555
- indications and contraindications for use, 815-816
- insertion, 815-816
- LMA selection and preparation, 817
- patient selection and preparation, 817
- physiologic stimulation of, 820
- in situ position of LMA, 819-820
- success rates of, 818-819
- techniques of, 817-818
- intubating, for failed intubation in obstetrics, 490, 491
- in pediatric anesthesia, 813-825
- structural characteristics, types, and sizes, 813-815

- Laryngeal mask airway (LMA) (*Continued*)
 in treatment of difficult spontaneous ventilation, 47
 for unexpected difficult pediatric airway, 759
 for ventilation in cannot-intubate/cannot-ventilate patient, 51-54, 55
 for ventilation with difficult pediatric airway, 750
- Laryngoceles, as laryngeal defect, 726
- Laryngomalacia, as laryngeal defect, 725
- Laryngoscope, anterior commissure, for ventilation with difficult pediatric airway, 750
 Bullard. *See* Bullard laryngoscope.
- Laryngoscopy, flexible fiberoptic, in pediatric patient. *See* Flexible fiberoptic laryngoscopy, in pediatric patient.
- rigid, for difficult pediatric airway, 752-753
- Laryngospasm, during emergence from general anesthesia, 35-36
- Laryngotracheitis. *See* Croup.
- Larynx, defects of, 725-726
 embryology of, 723-725
- Laser bronchoscopy, 612-613
- Laser surgery, in upper airway, anesthesia for, in head and neck cancer patient, 558-559
- Lesions, obstructing airway, difficult spontaneous ventilation from, 30
 tracheal-esophageal space-occupying, difficult endotracheal intubation from, 44
- Leukemia, 538
 chronic granulocytic, 506-507
- Lidocaine, for asthma patients, 103
 for fiberoptic intubation in pediatric patients, 766-767
- Lightwand, advantages, 807
 background, 802
 clinical experience in adults, 805-806
 devices, 802-803
 disadvantages, 807
 method of use, 803-805
 pediatric studies, 806-807
- Lip, upper, embryology of, 716
- Liver, changes in, in HELLP syndrome, 334
- Liver cancer, 537
- Lobectomies, in thoracic oncology patient, 615, 617
- Local anesthesia, in eclamptic patient, 326
 in obstetric patient, with difficult airway, 67-68
- Ludwig's angina, as predictor of difficult positive-pressure mask ventilation, 37
- Lumbar puncture, anesthesia for, in pediatric cancer patient, 684-685
- Lung, metabolic functions of, 181-199
 atrial natriuretic peptide, 191-192
 bradykinin in, 189-190
 catecholamines in, 185-186
 eicosanoids in, 186-188
 endothelins in, 190-191
 enkephalins in, 191
 renin-angiotensin in, 188-189
 serotonin in, 182, 184-185
 xenobiotics in, 192-194
- Lung cancer, 538-539
 work-up of patient with, 606-607
- Lung disease(s), chronic, role of nitric oxide in, 250
 restrictive, preoperative preparation with, 303
- Lung transplantation, role of nitric oxide in, 250
- Lupus anticoagulant, in coagulopathic parturient, 353-354
- Lymphangioma, difficult pediatric airway with, 869-873
 management, 871-873
 preoperative assessment, 870-871
 as laryngeal defect, 726
- Lymphocytes, in asthma, 91
- Lymphoma, 539
- Macrosomia, fetal, maternal diabetes as risk factor for, 445
- Magnesium sulfate, for prevention of convulsions, in HELLP syndrome, 337
 for treatment of seizures in eclamptic patient, 324-325
- Magnetic resonance imaging, anesthesia for, in pediatric cancer patient, 685-686
- Mallampati classification, for predicting difficult airway, 733, 735, 736
- Mandibular fractures, airway management with, 62-63
- Mandibular space length, as predictor of difficult endotracheal intubation, 41
- Mandibulofacial dysostosis/Trachea Collins syndrome, difficult airway in pediatric patient with, 844-845
- Mapleson circuits, on anesthesia machine, 17-19
- Mask ventilation, in treatment of difficult spontaneous ventilation, 47
- Masses, as predictor of difficult positive-pressure mask ventilation, 37
- Mast cells, in asthma, 91
- Maxillary fractures, airway management with, 62-63
- May-Hegglin anomaly, in coagulopathic parturient, 354-355

- Mediastinal masses, and anesthesia in children, 893-910
 anatomy of mediastinum, 895
 anesthetic considerations, 903-908
 case presentation, 893-895
 clinical presentation, 896-901
 diagnostic evaluation, 901-903
 incidence and distribution, 895-896
 anterior, with pediatric malignancies, 681-682
 difficult spontaneous ventilation from, 30
 Mediastinal tumors, resection of, in thoracic oncology patient, 622-623
 Mediastinoscopy, in thoracic oncology patient, 609-610
 Mediastinotomy, anterior, in thoracic oncology patient, 610-611
 Mediastinum, anatomy of, 895
 Mephalan, pulmonary toxicity from, 567
 Mental status, altered, in cancer patient, 516-518
 Meralgia paraesthetica, in obstetric patient, 472
 6-Mercaptopurine, pulmonary toxicity from, 573-574
 Metabolic acids and bases, definition of, 214-215
 Metabolic derangements, in cancer patient, 522-525
 Metabolic functions, of lung, 181-199
 atrial natriuretic peptide, 191-192
 bradykinin in, 189-190
 catecholamines in, 185-186
 eicosanoids in, 186-188
 endothelins in, 190-191
 enkephalins in, 191
 renin-angiotensin in, 188-189
 serotonin in, 182, 184-185
 xenobiotics in, 192-194
 Methotrexate, pulmonary toxicity from, 572-573
 Methylxanthines, for asthma treatment, 96
 Microangiopathic hemolytic anemia, in HELLP syndrome, 334
 Migraine headaches, in obstetric patient, 459-460
 Minimum oxygen ratio device, on anesthesia machine, 9-12
 Mitomycin, pulmonary toxicity from, 571-572
 Mitral stenosis, in parturient, 429-430, 432
 Monitored anesthesia care, spontaneous ventilation during, 30-32
 Mononeuropathies, common, in obstetric patient, 471-472
 Morquio syndrome, cervical spine instability with, 915-916
 Mouth, primitive, embryology of, 715
 Mucopolysaccharidoses, cervical spine instability with, 915-916
 difficult airway in pediatric patients with, 847-848
 Multiple sclerosis, in obstetric patient, 460-461
 Muscarinic antagonists, for asthma treatment, 97
 Muscular dystrophy, in obstetric patient, 465-466
 Myasthenia gravis, in obstetric patient, 463-464
 Myocardial tissue injury, in cancer patient, 519-520
 Myometrium, effect of nitric oxide on, 242
 Myotonic disorders, in obstetric patient, 464-465
 Narcotic abuse, in obstetric patient, 389-390
 Narcotics, for asthma patients, 103
 and benzodiazepine combinations, for pediatric sedation in fiberoptic intubation, 771-772
 for managing difficult pediatric airway, 747
 Nasal airways, in treatment of difficult spontaneous ventilation, 46-47
 Nasopharyngeal airway, for ventilation with difficult pediatric airway, 750
 Nausea, preoperative oncologic, 544
 Neck surgery, difficult positive-pressure ventilation after, 38
 Nedocromil, for asthma treatment, 95, 97, 98
 Negative-pressure pulmonary edema, during emergence from general anesthesia, 36
 Neonatal respiratory failure, additional considerations, monitoring issues, 149-150
 selection of ventilator frequency, 147-148
 time factor, 146-147
 volume recruitment methods, 148-149
 current ventilator management strategies, 129-154
 important physiologic considerations, 129-131
 interactions among therapies, exogenous surfactant, 144
 HFV and ECMO, 144-146
 nitric oxide, 143-144
 revising our continuum of care, 150
 ventilator-related lung injury, 131-143
 emergence of ventilator support strategies in 1990s, 138-142

- Neonatal respiratory failure (*Continued*)
 lung-protective conventional ventilation techniques, 142-143
 partial liquid ventilation, 143
- Neonatal resuscitation, in infants of diabetic mothers, 455
- Neoplasms, brain, in obstetric patient, 468-469
- Nerve blocks, for fiberoptic intubation in pediatric patients, 767-769
- Nerve injury, postoperative difficult positive-pressure ventilation from, 39
- Neurologic and neuromuscular disease, in obstetric patient, 459-476
 Bell's palsy, 471
 brain neoplasms, 468-469
 carpal tunnel syndrome, 472
 cerebral hemorrhage, 469-470
 cortical vein thrombosis, 470
 epilepsy, 462-463
 headache, 459-460
 maternal hydrocephalus with shunt, 471
 meralgia paraesthetica, 472
 multiple sclerosis, 460-462
 muscular dystrophy, 465-466
 myasthenia gravis, 463-464
 myotonic disorders, 464-465
 spinal cord injury, 466-467
- Neurologic disorders, in HIV-infected parturient, 412
- Neuromuscular blockade, for asthma patients, 102
 causing difficult spontaneous ventilation, 37
 for pediatric sedation in fiberoptic intubation, 772
- Neurotransmitter effects, of nitric oxide, 241
- Nitric oxide, altered, pathophysiology and, 243-246
 chemistry, 235-236
 drug interactions with, 243
 effects on, cardiovascular system, 239-240
 central nervous system, 240-241
 immune system, 241
 modulation of injury, 241-242
 myometrium, 242
 neurotransmitters, 241
 platelet function, 240
 renal system, 241
 retina, 242
 systemic circulation, 240
 transplantation rejection, 242
 history, 235
 inhaled, for ARDS patients, 171-172
 clinical applications of, adult respiratory distress syndrome, 246-247
 cardiac surgery, 249
 cardiac transplantation, 249
 chronic lung diseases, 250
 congenital diaphragmatic hernia, 250
 high-altitude pulmonary edema, 250
 lung transplantation, 250
 persistent pulmonary hypertension of newborn, 249-250
 primary pulmonary hypertension, 248
 pulmonary hypertension, 247-248
 concentrations and biologic activity of, 242-243
 for neonatal respiratory failure, 143-144
 pharmacology and physiology of, understanding its use in anesthesia and critical care medicine, 235-237
 primary mechanism of action, absorption, fate, and excretion of NO, 238-239
 nitric oxide synthase, 236, 238
 routes of administration of, 246
 tolerance to, 243
 toxicity, 250-251
- Nitric oxide synthase, constitutive, 236
 inducible, 236, 238
- Nitrosureas, pulmonary toxicity from, 574-575
- Nonsteroidal anti-inflammatory drugs, for cancer pain, 693
- Nose, embryology of, 716-717
- Obesity, morbid, as predictor of difficult positive-pressure mask ventilation, 36-37
- Obstetric hemorrhage. *See Hemorrhage, obstetric.*
- Obstetric patients, with difficult airway, 64-68
 high-risk, blood conservation in Jehovah's Witnesses, 375-384
 coagulopathic parturient, 349-373
 drug abusing parturient, 385-395
 eclamptic patient, 323-330
 failed intubation in, 477-498
 HELLP syndrome in, 331-348
 with human immunodeficiency virus, 397-418
 issue on, 323-504
 parturient with cardiac disease, 419-440
 patient with neurologic and neuromuscular disease, 459-476
 pregnant diabetic patient, 441-458
- Obstructive sleep apnea, in anesthetized child, 35

- in anesthetized patient, 33-35
- Oncologic patient. See *Cancer patient.*
- Open lung ventilation, in ARDS patients, 164-168
- Opiates, causing difficult spontaneous ventilation, 37
- Opioid agonist analgesics, for cancer pain, 691-693, 695-699
- Oral airways, in treatment of difficult spontaneous ventilation, 46-47
- Oropharyngeal airway, for ventilation with difficult pediatric airway, 750
- Ovarian cancer, 539-540, 631-632, 635-636, 637
- Oximetry, in anesthesia, 287
- Oxygen, for treating difficult spontaneous ventilation, 46
- Oxygenation, extracorporeal membrane, for ARDS patients, 170
 - impairment of, incidence of, during anesthesia, 114
 - pathophysiology of, during anesthesia, diffusion impairment, 115
 - hypoventilation, 114-115
 - shunt, 118-119
 - ventilation-perfusion mismatch, 115-118
- Oxygenator, intravenous, for ARDS patients, 170
- Oxygen failsafe valve, on anesthesia machine, 8-9
- Oxygen flush valve, on anesthesia machine, 8
- Oxygen kinetics, and respiratory quotient, 288
- Oxygen sensor, in cellular response to hypoxia, 205
- Oxygen supply failure alarm, on anesthesia machine, 9

- Paclitaxel, cardiotoxicity from, 600-601
- pulmonary toxicity from, 575-576
- Pain, cancer, anesthetic management of patient with, 691-700
 - anticonvulsant medications for, 694
 - heterocyclic antidepressant medications for, 694
 - management of, 525-526
 - nonsteroidal anti-inflammatory drugs for, 693
 - opioid agonist analgesics for, 691-693, 695-699
 - postoperative control of, in respiratory cripple, 308-309
 - preoperative oncologic, 544
- Palate, embryology of, 716
- Pancreatic cancer, 540-541

- Papillomatosis, recurrent respiratory. See *Recurrent respiratory papillomatosis.*
- Paroxysmal supraventricular tachycardia, in parturient, 425-426
- PCO₂ alveolar, steady state CO₂ kinetics and effects on, 271-274
 - average alveolar expired, in non-steady state CO₂ kinetics, 274-277
- PCO₂/HCO₃⁻ for measuring acid-base status, 223
- Pediatric airway, anatomy and embryology of, 707-727
 - branchial apparatus, branchial arch defects, 721-722
 - branchial arches, 717-718
 - branchial cleft defects, 723
 - branchial clefts, 718-719
 - branchial pouch defects, 722-723
 - branchial pouches, 718
 - facial defects, 719-720
 - craniovertebral anomalies, 710-711
 - craniovertebral development, 710
 - face, 714-717
 - formation of cranial vault and base, 707-709
 - cranial deformities, 709-710, 712-713
 - larynx, 723-725
 - laryngeal defects, 725-726
- non-surgical techniques for access to, rigid bronchoscopy, 830-832
- transtracheal jet ventilation, 833-835
- pertinent anatomy of, 827-828
- surgical techniques for access to, cricothyrotomy, 834-835
 - elective *versus* emergent, 828-830
 - tracheotomy/tracheostomy, 836-837
- Pediatric malignancies, and anesthesia, 677-689
 - for lumbar puncture/bone marrow aspiration, 684-685
 - for magnetic resonance imaging, 685-686
 - for radiation therapy, 686-687
 - for stereotactic radiosurgery, 687
- diagnosis of, 678-679
- epidemiology, 677-678
- general anesthetic considerations for, 680-683
- treatment of, 679-680
- Peplomycin, pulmonary toxicity from, 570-571
- Peptides, metabolism of, in lungs, 188-192
- Percutaneous dilational cricothyrotomy (PDC), for surgical access to pediatric airway, 835
- Perfluorocarbon (PFC) solutions, as blood conservation technique, 377
- Pericardial windows, in thoracic oncology patient, 623-624

- Peripartum cardiomyopathy, 435-436
- Permissive hypercapnia, in ARDS patients, 164-168
- Persistent pulmonary hypertension of newborn, role of nitric oxide in, 249-250
- pH, definition of, 213
- Pharyngeal edema, in obstetric patient, airway management with, 65
- Phenoxybenzamine, for patients with pheochromocytoma, 651-652
- Phentolamine, for patients with pheochromocytoma, 652
- Pheochromocytoma, decreased perioperative morbidity from, 645-662
- diagnosis of, 645-648
- diagnostic tests, 647-648
- presentation, 645-647
- intraoperative management, 654-656
- anesthesia, 654
- arrhythmias, 655
- fluid management, 655
- hypertension, 654-655
- hypotension, 655-656
- monitoring, 654
- postoperative management, 656
- preoperative preparation, 650-654
- adrenergic blockade, 650-652
- cardiac evaluation, 652-653
- fluid management, 653
- premedication, 653-654
- synthesis inhibition, 652
- tumor localization, 648-650
- Phrenic nerve injury, postoperative difficult positive-pressure ventilation from, 39
- Pierre Robin syndrome, 720
- Placenta previa, in coagulopathic parturient, 368
- Plasma exchange therapy, for HELLP syndrome, 344
- Platelet aggregation, in HELLP syndrome, 335
- Platelet count, epidural anesthesia and, in HELLP syndrome, 339
- Platelet disorders, in coagulopathic parturient, autoimmune or idiopathic thrombocytopenic purpura, 355-356
- drug-induced thrombocytopenia, 357
- drug-induced thrombopathy, 357-358
- hereditary platelet disorders, 354-355
- incidental thrombocytopenia, 354
- postpartum hemolytic uremic syndrome, 356
- preeclampsia, 358-361
- primary (essential) thrombocythemia, 357
- spurious (laboratory-induced) thrombocytopenia, 354
- systemic lupus erythematosus, 356-357
- thrombotic thrombocytopenic purpura, 356
- Platelet function, effect of nitric oxide on, 240
- epidural anesthesia and, in HELLP syndrome, 339-341
- Platelets, in HELLP syndrome, 334-335
- Platelet thrombi formation, in HELLP syndrome, 335
- Pneumonectomy, in thoracic oncology patient, 617-619
- Positioning, prone, for ARDS patients, 168-169
- Positive end-expiratory pressure, effect on CO₂ kinetics, 280-281
- Positive end-expiratory pressure valves, in anesthesia breathing circuit, 24
- Postpartum hemolytic uremic syndrome, in coagulopathic parturient, 356
- Postpartum hemorrhage, in coagulopathic parturient, 369
- Power switch, for anesthesia machine, 7-8
- Prazosin, for patients with pheochromocytoma, 652
- Preeclampsia, HELLP syndrome with, 361
- thrombocytopenia with, 358-361
- Pregnancy. *See Obstetric patients.*
- Pregnancy-induced hypertension, in diabetic pregnant patient, 444
- Pregnant patient, with difficult airway, 64-68
- Primary pulmonary hypertension, role of nitric oxide in, 248
- Primary thrombocythemia, in coagulopathic parturient, 357
- Procaine, pulmonary toxicity from, 576
- Prone position, for ARDS patients, 168-169
- Propofol, for managing difficult pediatric airway, 747, 748-749
- for pediatric sedation in fiberoptic intubation, 771
- Prostaglandins, for ARDS patients, 172
- Prostate cancer, 541
- Protein synthesis, global decreases in, in cellular response to hypoxia, 206-207
- Provocative tests, elimination of, in patients with pheochromocytoma, 648
- Pulmonary complications, in cancer patient, 520-521
- of cancer therapy, 563-586
- alkylating agents, 565-567
- antimetabolites, 572-574
- biologic response modifiers, 577-578
- cytotoxic antibiotics, 567-572
- cytotoxin-related, 563-565
- nitrosureas, 574-575

- thoracic radiation, 578-580
- vinca alkyls, 577
- Pulmonary edema, high-altitude, role of nitric oxide in, 250
 - negative-pressure, during emergence from general anesthesia, 36
- Pulmonary embolism, effect on CO₂ kinetics, 281, 284-287
- Pulmonary function tests, for preoperative evaluation of respiratory cripple, 298-300
- Pulmonary hypertension, role of nitric oxide in, 247-248
- Pulmonary O₂ uptake, measurement of, 288
- Pulmonary resection, anesthesia considerations for, 613-615
- Pulmonary reserve, assessing, in thoracic oncology patient, 607-608
- Pulmonary toilet, after thoracic surgery, 626

- Racemic epinephrine, for croup, 863, 864
- Radiation therapy, cardiac complications from, 602-603
 - in pediatric cancer patient, 680
 - anesthesia for, 686-687
 - side effects and toxicity from, 542, 544
 - thoracic, pulmonary toxicity from, 578-580
- Radiosurgery, stereotactic, anesthesia for, in pediatric cancer patient, 687
- Recurrent laryngeal nerve injury, postoperative difficult positive-pressure ventilation from, 39
- Recurrent respiratory papillomatosis, difficult pediatric airway with, 873-875
 - anesthetic management, 875
 - intubation techniques, 878-879
 - nonintubation techniques, 875-878
- incidence, 873
- origin, 873
- presentation, 874
- treatment, 874-875
- Regional anesthesia. *See also Epidural anesthesia; Spinal anesthesia.*
 - in HIV-infected parturient, 411
 - monitored anesthesia care combined with, spontaneous ventilation during, 31-32
 - in obstetric patient, with difficult airway, 67
 - with epilepsy, 463
 - with hydrocephalus with shunt, 471
 - with multiple sclerosis, 461-462
 - with muscular dystrophy, 466
 - with myasthenia gravis, 464
 - with myotonic disorders, 465
 - with spinal cord injury, 467
 - in patients on anticoagulants, 362-364
 - in presence of inadequate coagulation, 365-366
 - in respiratory cripple, 303-304
- Renal cancer, 541
- Renal system, effect of nitric oxide on, 241
- Renin-angiotensin, metabolism of, in lungs, 188-189
- Respiration in anesthesia, pathophysiology and clinical update, issue on, 1-321
- Respiratory acidosis, definition of, 214
- Respiratory cripple, anesthesia for, 295-312
 - anesthetic risks and goals, 295-297
 - intraoperative anesthetic management, general anesthesia, 305-306
 - regional anesthesia, 303-304
 - treatment of perioperative bronchospasm, 306-308
 - postoperative management, extubation, 308
 - postoperative pain control, 308-309
 - preoperative evaluation, 298-300
 - preoperative preparation, 300-303
- Respiratory distress syndrome, in neonate, maternal diabetes as risk factor for, 445, 455
- Respiratory failure, neonatal. *See Neonatal respiratory failure.*
- Restrictive lung disease, preoperative preparation with, 303
- Retina, effect of nitric oxide on, 242
- Retinoic acid, pulmonary toxicity from, 576
- Retinopathy, in diabetic pregnant patient, 444
- Retrograde tracheal intubation, in awake head and neck cancer patient, 554
- Rheumatoid arthritis, difficult endotracheal intubation from, 44-45
- Rigid bronchoscopy, for nonsurgical access to pediatric airway, 830-833

- Scavenging system, in anesthesia breathing circuit, 24-25
- Sedation, conscious *versus* deep, spontaneous ventilation with, 30-32
 - hypoxic ventilatory response and, 82-85
- Segmentectomies, in thoracic oncology patient, 615, 617
- Seizures, in eclamptic patient, 323, 324
 - treatment of, 324-325
- Sensory nerve injuries in neck, postoperative difficult positive-pressure ventilation from, 39

- Serotonin, metabolism of, in lungs, 182, 184-185
- Shunt, in gas exchange impairment during anesthesia, 113
- morphologic correlates of, during anesthesia, airway closure, 122-124
- atelectasis, 119-122
- hypoxic pulmonary vasoconstriction, 124
- in pathophysiology of oxygenation impairment, 118-119
- SIADH, in cancer patient, 524-525
- Sight wands, for pediatric airway, 806-807
- Sleep apnea, obstructive, in anesthetized child, 35
- in anesthetized patient, 33-35
- Sleeve resections, in thoracic oncology patient, 619-620
- Smoking, cessation of, as preoperative preparation in respiratory cripple, 301
- in obstetric patient, 390-391
- Spinal anesthesia, nitric oxide and, 243
- in obstetric patient, with brain neoplasm, 468-469
- with diabetes, 454
- with eclampsia, 326-327
- with spinal cord injury, 467
- in respiratory cripple, 304
- Spinal cord injury, in obstetric patient, 466-467
- Spinal hematoma, in pregnancy, 364-365
- Spine injury, cervical, airway management with, 58-59
- Spontaneous ventilation, for difficult pediatric airway with recurrent respiratory papillomatosis, 875-877
- Standard base excess, definition of, 215
- for measuring acid-base status, 220-223
- Stenotic valvulopathies, in parturient, 430-432
- Stereotactic radiosurgery, anesthesia for, in pediatric cancer patient, 687
- Stewart strong ion difference, for measuring acid-base status, 226-227
- Stiff joint syndrome, in diabetic pregnant patient, 444, 447
- Storage pool disease, in coagulopathic parturient, 355
- Strong ion gap, for measuring acid-base status, 223-226
- Subglottic stenosis, as laryngeal defect, 726
- Superior laryngeal nerve blocks, for fiberoptic intubation in pediatric patients, 767, 768-769
- Superior laryngeal nerve injury, postoperative difficult positive-pressure ventilation from, 39
- Suppression tests, elimination of, in patients with pheochromocytoma, 648
- Supraglottic atresia, as laryngeal defect, 725
- Supraventricular arrhythmias, in parturient, 425-426
- Surfactant replacement therapy, exogenous, for neonatal respiratory failure, 144
- Surfactants, for ARDS patients, 172-173
- Surgical airway, rigid bronchoscopy, and transtracheal jet ventilation in the pediatric patient, 827-838
- Sympathomimetic agents, for asthma treatment, 96-97
- Syndrome of inappropriate antidiuretic hormone secretion (SIADH), in cancer patient, 524-525
- Systemic circulation, effect of nitric oxide on, 240
- Systemic lupus erythematosus, in coagulopathic parturient, 356-357
- System power switch, for anesthesia machine, 7-8
- Tachycardia, ventricular, in parturient, 427
- Tallysomylin $S_{100}b$, pulmonary toxicity from, 570-571
- Tamoxifen citrate, pulmonary toxicity from, 576
- Taxol. See *Paclitaxel*.
- Taxotere. See *Docetaxel*.
- Theophylline, for asthma treatment, 96
- as preoperative preparation in respiratory cripple, 303
- Thoracic radiation, pulmonary toxicity from, 578-580
- Thoracic surgery, in oncology patient, anesthesia considerations for pulmonary resection, 613-615
- anesthesia for, 605-627
- anterior mediastinotomy or Chamberlain procedure, 610-611
- bronchoscopy, 611-612
- cardiopulmonary bypass in thoracic oncology, 624
- esophageal surgery, 620-622
- laser bronchoscopy, 612-613
- lobectomies, 615, 617
- management of chest tubes, 624-625
- mediastinoscopy, 609-610
- pericardial windows, 623-624
- pneumonectomy, 617-619
- postoperative care, 625-626
- preoperative assessment of, 606-609
- resection of mediastinal tumors, 622-623
- segmentectomies, 615, 617
- sleeve resections, 619-620

- video-assisted thoracoscopic procedures, 620
- Thrombocythemia, primary, in coagulopathic parturient, 357
- Thrombocytopenia, drug-induced, in coagulopathic parturient, 357
 - incidental, in coagulopathic parturient, 354
 - with preeclampsia, 358-361
 - spurious, in coagulopathic parturient, 354
 - with systemic lupus erythematosus, 356-357
- Thrombocytopenic purpura, autoimmune, in coagulopathic parturient, 355-356
 - idiopathic, in coagulopathic parturient, 355-356
 - thrombotic, in coagulopathic parturient, 356
- Thrombopathy, drug-induced, in coagulopathic parturient, 357-358
- Thrombosis, cortical vein, in obstetric patient, 470
- Thrombotic thrombocytopenic purpura, in coagulopathic parturient, 356
- Thyroid cancer, 541-542
- Thyroid dysfunction, postpartum, in diabetic pregnant patient, 444-445
- Tight brain, in patients with brain tumors, 672
- Tissue, acid-base balance of, 228-230
- Tongue, embryology of, 715
- Tongue/pharyngeal size, as predictor of difficult endotracheal intubation, 41
- Tracheal extubation and stylet, in cancer patient, 515-516
- Tracheal intubation, choice of, in head and neck cancer patient, 551-552
 - difficult, anatomic predictors of, 40-41, 42
 - pathologic causes of, 41, 43-46
 - pathophysiology and evaluation of, 39-46
- Tracheomalacia, as laryngeal defect, 725
- Tracheostomy, for difficult pediatric airway, 751
 - with general anesthesia, for head and neck cancer patient, 557-558
 - with local anesthesia, in head and neck cancer patient, 554
- Tracheotomy/tracheostomy, for surgical access to pediatric airway, 836-837
- Tranexamic acid (TA), for blood conservation, 377
- Transfusions, for gynecologic malignancy surgery, 639-640
- Transfusion threshold, acceptability of lower hemoglobin and hematocrit levels and, 378
- Translaryngeal spray, for fiberoptic intubation in pediatric patients, 769-771
- Transplantation, cardiac, role of nitric oxide in, 249
 - lung, role of nitric oxide in, 250
- Transplantation rejection, effect of nitric oxide on, 242
- Transtacheal jet ventilation, acute airway compromise and, in cancer patient, 515
 - for anticipated difficult pediatric airway, 751
 - for difficult pediatric airway with recurrent respiratory papillomatosis, 879
 - for head and neck cancer patient, 556
 - for nonsurgical access to pediatric airway, 833-834
 - for unexpected difficult pediatric airway, 759
 - for ventilation in cannot-intubate/cannot-ventilate patient, 54-55
- Trauma, cervical spine, fiberoptic intubation with, 781, 783-784
 - cervical spine instability with, 916-918
 - as predictor of difficult positive-pressure mask ventilation, 37
- Trauma patient, with difficult airway,
 - airway disruption, 59-62
 - cervical spine injury, 58-59
 - closed head injury, 58
 - extrinsic airway compression, 63-64
 - general considerations, 57-58
 - maxillary/mandibular fractures, 62-63
 - overview of, 64, 65
- Treacher Collins syndrome, 722, 844-845
- Trisomy 21/Down syndrome, difficult airway in pediatric patient with, 847
- Tuberculosis, protecting health care workers from transmission of, 413-414
- Tumor lysis syndrome, in cancer patient, 523-524
- Tumor necrosis factor, pulmonary toxicity from, 577
- Two-person mask ventilation, for ventilation with difficult pediatric airway, 750
- Uterine cancer. *See Endometrial cancer.*
- Uterine rupture, in coagulopathic parturient, 368-369
- Vaginal carcinoma, 634, 636, 639, 641
- Valves, adjustable pressure-limiting, in anesthesia breathing circuit, 24

Valves (*Continued*)

- inspiratory and expiratory unidirectional, in anesthesia breathing circuit, 20-22
- oxygen failsafe, on anesthesia machine, 8-9
- oxygen flush, on anesthesia machine, 8
- positive end-expiratory pressure, in anesthesia breathing circuit, 24
- Valvular disease, in pregnancy, 428-433
 - regurgitant valvulopathies, 433
 - stenotic valvulopathies, 430-432
- Valvulopathies, regurgitant, in parturient, 433
 - stenotic, in parturient, 430-432
- Vaporizers, on anesthesia machine, 14-16
- V_A/Q, low, during anesthesia, 113-114
 - morphologic correlates of, during anesthesia, airway closure, 122-124
 - atelectasis, 119-122
 - hypoxic pulmonary vasoconstriction, 124
- Venous blood, acid-base balance of, 227-228
- Venous catheters, in pediatric cancer patient, 682-683
- Venous lymphatic malformations, difficult airway in pediatric patient with, 849-850
- Ventilation, difficult mask. *See* *Difficult mask ventilation.*
- difficult spontaneous. *See* *Difficult spontaneous ventilation.*
- impact of, on other organ systems, in neonate, 130-131
- metabolic and behavioral control of, 77-79
- Ventilation-perfusion mismatch, in pathophysiology of oxygenation impairment, 115-118
- Ventilator, in anesthesia machine and circuit, 25-26
- Ventilator-related lung injury, in neonatal respiratory failure, 131-143
 - emergence of ventilator support strategies in 1990s, 138-142
 - lung-protective conventional ventilatory techniques, 142-143
 - partial liquid ventilation, 143
- Ventilator strategies, in ARDS patients, conventional therapies, permissive hypercapnia and open lung ventilation, 164-168
 - prone position, 168-169
 - volutrauma, 161-164
- pharmacotherapy, 170-175
 - corticosteroids, 173
 - inhaled nitric oxide, 171-172
 - prostaglandins, 172
 - surfactants, 172-173
- salvage therapies, extracorporeal membrane oxygenation/intravenous oxygenator, 170
 - high-frequency ventilation, 169-170
 - inverse-ratio ventilation, 170
- Ventricular arrhythmias, in parturient, 426-428
- Ventricular fibrillation, in parturient, 428-429
- Ventricular premature contractions, in parturient, 426-427
- Video-assisted thoracoscopic procedures, in thoracic oncology patient, 620
- Vinca alkyloids, pulmonary toxicity from, 577
- Visualizing stylets, for pediatric airway, 808-809
- VO₂ measurement of, 288
- Vocal cord paralysis, as laryngeal defect, 726
- Volatile anesthetics, for asthma patients, 99-101
- Volutrauma, in ARDS patients, 161-164
- von Willebrand's disease, in coagulopathic parturient, 349-351
- Vulvar carcinoma, 634, 636, 638, 641
- Warfarin, in coagulopathic parturient, 361
- Weight gain, in obstetric patient, with difficult airway, 65-66
- Xenobiotics, metabolism of, in lungs, 192-194
- Zenker's diverticulum, difficult endotracheal intubation from, 44
- Zidovudine, to prevent mother-to-newborn HIV transmission, 406-407, 408, 409

